



SM 200XLR

General purpose Microphone



Overview

The SM 200 XLR is an excellent vocal microphone with bright midrange which enhances and gives life to vocals especially in the live application.



All Features



- Designed for hi-fidelity vocal reproduction, with brightened midrange.
- Dynamic Cardioid pick up pattern minimizes off-axis pick up, reduces feedback and provides higher system gain.
- Suspended cartridge shock mount system to minimize handling noise.
- Low-failure magnetic on-off switch.
- Rugged body & dent-proof steel grill that withstands physical shocks.



Technical Specifications

Parameter	Specifications
Type	Dynamic
Frequency Response	50Hz-11kHz
Polar Pattern	Cardioid
Sensitivity (at 1kHz)	-70dB \pm 3dB
Nominal Impedance	500 Ω
Connector	3-pin XLR male
Accessories Included	6.5M XLR-Jack cable, mic holder, plastic case

Support

For sales, support, pricing and availability:
Email: info@audioplus-india.com
Telephone: 022-42869000 / 001
WhatsApp: +91-8879028079
(Monday to Saturday between 10:00 a.m to 6:00 p.m.)
Contact Us:
<http://www.studiomasterprofessional.com/home/contact>



Scan QR Code for More Details



Scan QR Code to Watch Video

For after-sales service and support: Email: sales.support@audioplus-india.com Telephone: 022-42869010 / 49 / 57

Subscribe to our Channel

Studiomaster[®]
PROFESSIONAL

On

 YouTube



bit.ly/SMPYT-S



Studiomaster Professional



* Product design and specifications are subject to change without notice.

Studiomaster Professional is a registered trademark of Audioplus in India. © Copyright Audioplus, 2008. All rights reserved. Any unauthorised reproduction or use of logos, images or design elements is strictly prohibited by law. No part of the compilation may be reproduced in any manner or translated without written permission.

Code: Rev000 / SMP SM 200XLR Datasheet / July 2020

Brought to you by:

AUDIOPLUS

A1/A2, Giriraj Indl. Est., Mahakali Caves Road, Andheri (E), Mumbai - 400 093, India Tel.: +91-22-4286 9000/ 001 W: www.audioplus-india.com